

URBAN RANGE

GROUTLESS LUXURY VINYL TILE BY TEK TILE AUSTRALIA



Tek Tile
AUSTRALIA



URBAN RANGE


COMMERCIAL | OFFICE | RESIDENTIAL | RETAIL

The Groutless Solution

Urban Tile offers you a robust interlocking loose lay floor system, available in modern decor finishes. Urban Tile features a heterogenous construction, reinforced with fiberglass to create a flooring solution that will perform for many years to come. Manufactured in the UK with sustainable manufacturing practices, our products are guaranteed to have outstanding fit and finish.

Reliability you can trust

TekTile flooring solutions can be found throughout Australia, Asia, Europe and the USA with an unparalleled reputation for quality and excellence. With 10 years limited TekTile Australia warranty, Urban Tile is guaranteed to perform for years to come.



Matte PUR layer,
R10 Embossed

Extra-strength
Transparent Wear Layer

Print Film Layer

Ultra Stable PVC Layer
with Fibreglass Reinforcement

Injection Moulded Backing Layer,
100% Recycled & Stabilised PVC

Manufactured with Precision, Consistency, and Longevity in mind

Urban Tile is a multi-layered interlocking loose lay vinyl tile with polyurethane treatment (PUR+), 6.5mm thick with a dovetail joint, abrasion group T (highest wear resistance group). It is manufactured using a continuous patented high pressure process. Reinforced with oblong fillers, Urban tile offers class-leading resistance to traffic.

Urban Tile is reinforced with an ultra-stable fibreglass grid on a pressed homogeneous layer.


Urban Tile backing is an homogeneous component made from ultra-stable material using a high pressure process.

It is 100% recyclable and made with up to 80% recycled content.






CONCRETE




GREY CONCRETE
URB.CON.GY



BROWN CONCRETE
URB.CON.BR



CHARCOAL CONCRETE
URB.CON.CHA




BROWN POLISHED
URB.POL.BR

STONE




BRONZE STONE
URB.STO.BZ



SHALE STONE
URB.STO.SH



BROWN PEBBLE
URB.PBL.BR



GREY PEBBLE
URB.PBL.GY




DARK GREY PEBBLE
URB.PBL.DG

PEBBLE



CREAM TERRAZZO
URB.TER.CR



BROWN TERRAZZO
URB.TER.BR



GREY TERRAZZO
URB.TER.GY


TERRAZZO



MADE TOUGH FOR TOUGH ENVIRONMENTS



Tiles are injection moulded and pressed



0.7mm wear layer for extra protection



PUR+ (polyurethane surface treatment)
allows easy maintenance

ADVANTAGES OF THE URBAN RANGE

- Can be installed on most existing floors
- Saves time and cost
- Easy installation, maintenance and cleaning
- Fire Retardant Properties
- Low Volatile Organic Compound (VOC) emissions and recyclable
- In retail environments, can be installed while store is trading in most circumstances
- Outstanding durability for heavy duty loads (i.e. suitable for pallet jacks and trolleys)
- Unique construction reduces ambient and impact noises

MORE FEATURES OF THE URBAN RANGE




Easy Installation & Maintenance



Recyclable



Fire Retardant Properties



Suitable for Wheeled Traffic up to 1200 kg



R10 Slip Rating



Proven Durability



Improves Acoustic Performance



High Dimensional Stability - heterogeneous construction

SUSTAINABLE MANUFACTURING

The TekTile range of tiles are designed and manufactured with the environment in mind. Once they have reached the end of their lifecycle, we can collect the tiles and recycle them to produce the next generation of TekTile products.

We are proudly manufacturing our tiles without any wastage as any rejected and surplus material is recycled.



COMPOSITION

FREE of Formaldehyde
FREE of heavy metals
FREE of solvent



LIFE CYCLE ANALYSIS

Eco-designed according to a product specific
Life Cycle Analysis
Product specific EPD (Environmental
Products Declaration) available
Manufactured in an ISO 14001 compliant site



MADE WITH RECYCLED CONTENT

Up to 80% recycled content is used in the
making of TekTile products




INSTALLATION

Adhesive free installation
(note: gluing around refrigerated cases is recommended)



FULLY RECYCLABLE ON END OF LIFE

100% of the tiles can be recycled
at the end of the life cycle




PROFILE EDGE ADD-ON

The Profile Edge is manufactured using high quality aluminium to withstand repeated foot and wheeled traffic impacts. It provides a safe transition between wood, tiles and other resilient floor coverings.

This profile incorporates a slip-resistant PVC insert available in 3 options: grey, black and brown.

Type:	Ramp Profile
Environment:	Interior
Material:	Aluminium/PVC
Width:	84mm
Gauge:	8mm
Length:	2.50m



ENTRANCE MAT ADD-ON

- Same thickness as Urban Tiles
- Full kit ready-to-lay including the mat, frame sections and fastenings
- Withstands intensive foot traffic
- Surface not damaged (no adhesives or screws)
- Full 100% loose lay system



URBAN RANGE

TECHNICAL SPECIFICATION

	STANDARD	URBAN RANGE
Classification	ISO 20582	34/43
Tile Dimensions	ISO 24342	579mm x 579mm
Packaging	3 Tiles	1.0m ² /Box
Thickness	EN ISO 24342	6.5mm
Wear Layer	EN ISO 24342	0.7mm
Weight	EN ISO 24342	9.6kg/m ²
Abrasion	EN 660.2	T <i>(highest wear resistance group)</i>
Fire Class	EN 13501.1	BFL s1
Indentation	ISO 24342	<0.10mm
Acoustic	ISO 717.2	12 db
Castor Wheel	EN 425	No Damage
Dimensional Stability	ISO 23999	0.15%
Anti-slip (coefficient)	BS EN 13893	>.30
Anti-slip	AS 4586-2013 A	P3 (R10)*
Thermal Resistance	ISO 8302	+/- 0.013m ² K/W
Anti-Static	BS EN 1815	Rubber Sole: -1.0kV PVC Sole: -1.7kV
Chemical Resistance	BS EN 423	Good

*TekTile Australia can manufacture custom product for different requirements. Contact our representatives to learn more.

Tek Tile

A U S T R A L I A



24 Stennett Road
Ingleburn NSW 2565
Tel: 1300 66 22 14

WWW.TEKTILE.COM.AU

ONLINE SHOP | PRODUCT INFORMATION | CUSTOMER SUPPORT